

- 1 **Supplementary Material** – The floristic composition of tree species with a DBH \geq 45 cm
 2 present in the Deforestation Licences (DL), in the south of Roraima, Brazil.

Family/Species	Common Name	Ds	LOt ₁	LOt ₂	Total
Anacardiaceae					
<i>Anacardium giganteum</i> W. Hancock ex Engl.	Cajuí	39	-	50	89
Apocynaceae					
<i>Couma guianensis</i> Aubl.	Sorveira	42	-	10	52
Araliaceae					
<i>Didymopanax macrocarpus</i> (Cham. & Schlttdl.) Seem.	Mandiocão	-	2	-	2
<i>Scheffera</i> sp.	Mandiocão	19	-	10	29
<i>Schefflera morototoni</i> (Aubl.) Maguire, Steyer. & Frodin	Morototó	-	-	1	1
Bignoniaceae					
<i>Tabebuia</i> sp.	Ipê	20	4	32	56
Burseraeaceae					
<i>Dacryodes sclerophylla</i> Cuatrec.	Breu-branco	33	-	43	76
<i>Trattinnickia burseraefolia</i> Mart.	Amescla	22	4	-	26
Caryocaraceae					
<i>Caryocar gracile</i> Wittm.	Pequiarana	115	1	104	220
<i>Caryocar villosum</i> (Aubl.) Pers.	Pequiá	18	3	9	30
Combretaceae					
<i>Buchenavia grandis</i> Ducke	Mirindiba	-	41	-	41
<i>Terminalia amazonia</i> (J.F. Gmel.) Exell	Mirindiba	80	-	43	123
<i>Terminalia tanibouca</i> Rich.	Tanibuca	106	-	76	182
Fabaceae					
<i>Alexa grandiflora</i> Ducke	Melancieira	-	-	8	8

<i>Bowdichia nitida</i> Spruce ex Benth.	Sucupira preta	-	4	-	4
<i>Cedrela</i> sp.	Cedro-amargo	1	-	1	2
<i>Cedrelinga cateniformis</i> (Ducke) Ducke	Cedrorana	19	20	100	139
<i>Dinizia excelsa</i> Ducke	Angelim-ferro	81	159	370	610
<i>Diploptropis martiusii</i> Benth.	Sucupira preta	152	-	73	225
<i>Dipteryx odorata</i> (Aubl.) Forsyth f.	Cumarú	5	3	5	13
<i>Hymenaea capanema</i> Ducke	Jataí	18	-	12	30
<i>Hymenaea courbaril</i> L.	Jatobá	39	9	48	96
<i>Hymenolobium complicatum</i> Ducke	Angelim-pedra	44	48	19	111
<i>Hymenolobium excelsum</i> Ducke	Angelim-fava	23	-	3	26
<i>Inga</i> sp.	Ingá	17	-	3	20
<i>Parkia multijuga</i> Benth.	Faveira-branca	20	-	8	28
<i>Parkia paraensis</i> Ducke	Faveira-vermelha	-	2	1	3
<i>Parkia pendula</i> (Willd.) Benth. ex Walp.	Orelha-de- macaco	-	7	-	7
<i>Peltogyne</i> sp.	Roxinho	7	1	-	8
<i>Pentaclethra macroloba</i> (Willd.) Kuntze	Paracaxi	46	-	45	91
<i>Piptadenia excelsa</i> (Griseb.) Lillo	Angico-branco	11	-	104	115
<i>Piptadenia foliolosa</i> Benth	Angico-branco	-	17	-	17
<i>Swartzia panacoco</i> (Aubl.) R.S. Cowan	Coração-de- negro	3	-	-	3
<i>Tachigali myrmecophila</i> (Ducke) Ducke	Taxi	87	-	35	122
<i>Vataireopsis speciosa</i> Ducke	Angelim- amargoso	16	10	103	129
Goupiaceae					
<i>Goupia glabra</i> Aubl.	Cupiúba	188	49	97	334
Humiriaceae					
<i>Endopleura</i> sp.	Uxi-de-cutia	11	-	4	15
<i>Endopleura uchi</i> (Huber) Cuatrec.	Uxi-liso	2	-	-	2

<i>Sacoglottis verrucosa</i> Ducke	Uxi coroa	12	-	1	13
Lauraceae					
<i>Cordia glabrata</i> (Mart.) A. DC.	Louro-preto	179	-	227	406
<i>Licaria aritu</i> Ducke	Louro-aritu	-	-	11	11
<i>Mezilaurus itauba</i> (Meisn.) Taub. ex Mez	Itaúba	-	-	6	6
<i>Ocotea neesiana</i> (Miq.) Kosterm.	Louro-preto	-	32	-	32
<i>Ocotea rubra</i> Mez	Louro-gamela	39	2	3	44
<i>Persea gratissima</i> C.F. Gaertn.	Abacateiro	28	-	1	29
Lecythidaceae					
<i>Couratari</i> sp.	Cachimbeiro	44	10	57	111
<i>Couratari tauari</i> O. Berg	Tauari	20	-	-	20
<i>Eschweilera coriacea</i> (DC.) S.A. Mori	Estopeiro	105	17	45	167
<i>Eschweilera</i> sp.	Matamatá	109	-	-	109
<i>Lecythis chartacea</i> O. Berg	Jarana	58	-	9	67
Malvaceae					
<i>Apeiba</i> sp.	Jangada	-	1	-	1
<i>Bombacopsis quinata</i> Dugand	Cedro-doce	-	-	1	1
<i>Ceiba pentandra</i> (L.) Gaertn.	Samauma	26	4	3	33
<i>Luehea conwentzii</i> Schum.	Açoita cavalo	43	1	5	49
Meliaceae					
<i>Carapa guianensis</i> Aubl.	Andiroba	22	-	-	22
Moraceae					
<i>Bagassa guianensis</i> Aubl.	Tatajuba	4	4	33	41
<i>Brosimum guianense</i> (Aubl.) Huber	Amapá	71	-	7	78
<i>Brosimum parinarioides</i> Ducke	Mururé	6	-	1	7
<i>Clarisia racemosa</i> Ruiz & Pav.	Guariúba	2	3	15	20
Myristicaceae					
<i>Otoba parvifolia</i> (Markgr.) A.H. Gentry	Arurá	99	-	-	99

<i>Virola carinata</i> (Benth.) Warb.	Virola	14	-	2	16
Rubiaceae					
<i>Calycophyllum spruceanum</i> (Benth.) Hook. f. ex K. Schum.	Escorrega-macaco	2	-	-	2
Sapotaceae					
<i>Ecclinusa guianensis</i> Eyma	Bacurí	19	-	2	21
<i>Manilkara excelsa</i> (Ducke) Standl.	Maçaranduba	550	-	2322	2872
<i>Manilkara huberi</i> (Ducke) A. Chev.	Maçaranduba	-	684	-	684
<i>Pouteria guianensis</i> Aubl.	Abiurana	1	-	-	1
<i>Pouteria pachycarpa</i> Pires	Bolão	-	-	1	1
<i>Pouteria</i> sp.	Abiu	232	-	4	236
Simaroubaceae					
<i>Simarouba amara</i> Aubl.	Marupá	65	42	24	131
Vochysiaceae					
<i>Erisma calcaratum</i> (Link) Warm.	Caferana	116	3	79	198
<i>Erisma uncinatum</i> Warm.	Cedrinho	10	5		15
<i>Qualea brevipedicellata</i> Stafleu	Rabo-de-arraia	390	192	127	709
<i>Qualea dinizii</i> Ducke	Amarelão	3	1	50	54
Total geral		3.553	1.385	4.453	9.391

- 3 Where: Submontane Dense Ombrophilous Forest (Ds) / Area: 275.6 hectares; Campinarana/Ombrophilous Forest
4 (LOT₁) / Area: 57.4 hectares; Campinarana/Ombrophilous Forest (LOT₂) / Area: 313.5 hectares.